Date: 10 May 2021	
Call to Order: 5:03 P.M. by J	ohn Nasby.
Board Members Present:	☑ John Nasby, President ☑ Ann Markey, Vice President and Treasurer ☑ Russell Case, Secretary
Quorum: ☑ Yes, ☐ No (Majo	ority = 2, Bylaws Article V, Section 3)
Proof of Notice · M Yes □ N	0

# Oak Hollow Homeowners Association, Inc. Meeting Sign-In Sheet

Meeting Type: Board of Directors Meeting

Meeting Date: 10 May 2021

Lot	Last Name	Signature	Lot	Last Name	Signature
1	Potter		14	Sloan	
2	Rodd		15	Roggio	
3	Formet	0.0	16	Herman	
4	Nasby		17	Williams	
5	Poling		18	Castillo	,
6	Daniel		19	Worth	2h
7	Case	ARC .	20	Brown	
8	Gonsalves		21	Brown	
9	Bosley		22	Wolfe	
10	Hosler		23	Colangelo	
11	Kuhns		24	Schmitz	
12	Thomas		25	Markey	On
13	Green		26	Weighill	

## Oak Hollow Homeowners Association, Inc. Proof of Notice

The undersigned agent of the Oak Hollow Homeowners Association, Inc. states the <b>5.10 21</b> (date) meeting of the <b>30D</b>	at notice of the
(members, BOD) was noticed by	(posting,
Under the penalties of Perjury, I declare that I have read the foregoing and the fa	acts stated in it
are true.	
Agent	
5/10/21 Date Signed	

#### 1. Approve the minutes of the 1 April 2021 Board of Directors meeting:


Approve	Reject	Abstain	Director
✓			John Nasby, President
✓			Ann Markey, Vice President and Treasurer
✓			Russell Case, Secretary

All board decisions requiring a vote must be recorded in the minutes (Florida Statutes 720.303(3)).

#### 2. Approve roof shingles for 622 Kelly Green Street.

Approve	Reject	Abstain	Director
✓			John Nasby, President
✓			Ann Markey, Vice President and Treasurer
<b>√</b>			Russell Case, Secretary

Notes: Shingles to be GAF Timberline style, Weathered Wood color, the same as existing shingles.





#### New Issues:

- 1. Jay Worth mentioned that a couple of sprinkler heads are defective. Before these minutes could be published Andrew Hosler had already repaired the sprinkler heads.
- 2. Jay Worth noted that the grass at the front entrance was a little brown and suggested the watering duration be increased perhaps an additional 10 minutes.
- 3. Jay Worth noted that the lights were on 24 hours. A review of the power bill noted only a \$2 to \$4 monthly increase, since the lights are LED style. This was weighed against the previous meeting's discussion of repairing the light sensor and was not considered.

Adjournment: 5:09 P.M.